

Zitholele Consulting

Reg. No. 2000/000392/07

PO Box 6002 Halfway House 1685, South Africa
Building 1, Maxwell Office Park, Magwa Crescent West
c/o Allandale Road & Maxwell Drive, Waterfall City, Midrand
T : 011 207 2060 F : 086 674 6121 E : mail@zitholele.co.za



Our Ref :21068-Let-001

31 August 2023

Dear Interested and Affected Party

Proposed upgrade of the waste management facility at Linbro Park, Johannesburg, Gauteng Province.

- **NOTIFICATION OF AVAILABILITY OF DRAFT BASIC ASSESSMENT REPORT FOR PUBLIC REVIEW AND COMMENT**

Notice is hereby given in terms of the National Environmental Management Act, No. 107 of 1998 (NEMA), and EIA Regulations 2014 (GN R.326), of Pikitup Johannesburg (SOC) Ltd intention to upgrade the waste management facility. The project will trigger listed activities in terms of the NEMA and the EIA regulations, 2014 (as amended) i.e. Listed Activity 19 of Listing Notice 1 (GN .327) and Listed Activity 12 and Activity 14 of Listing Notice 3 (GN R.324) as amended. Environmental Authorisation by way of a Basic Assessment (BA) process is required, and the Competent Authority is the Gauteng Department of Agriculture and Rural Development(GDARD). A General Authorisation (GA) is required by Department of Water and Sanitation (DWS) in terms of Section 21 (c) and (i) water uses of the National Water Act, No.36 of 1998.

The Competent Authority is the Gauteng Department of Agriculture and Rural Development (GDARD).

Pikitup proposes to upgrade the existing sorting facility at the Linbro Park Waste Management Facility in the Gauteng Province. The Linbro WMF is located along the N3 near the Alexandra Township in the Gauteng Province. The site falls within the jurisdiction of the City of Johannesburg Metropolitan Municipality. The site is accessed through the off-ramp to the Marlboro Drive from the N3 to 3rd Road in Linbro Park.

The Draft Basic Assessment Report (DBAR) is available for public review from **31 August 2023 to 01 October 2023**.

- **AVAILABILITY OF DRAFT BASIC ASSESSMENT REPORT**

The Draft Basic Assessment Report and associated documentation are available at the following public venues and virtual locations to peruse and download:

1. View a hardcopy of the DBAR at the Halfway House Library, 563 Old Pretoria Road, Halfway House, Midrand.
2. Download DBAR from Zitholele Consulting's website: www.zitholele.co.za/environmental/, under heading "Carlswald Pipeline".
3. Request an electronic copy of the DBAR from

- **SUBMIT YOUR COMMENTS**



Directors: S. Pillay
Associate Directors: J. Heera (Ms.), T. Kaponda, Dr. M. Vosloo



All Interested and Affected Parties (I&APs) are urged to review the DBAR and associated documentation and provide written feedback before 01 October 2023 by submitting your comments via email to Pikitup-LinbroParkLandfillSite@zitholele.co.za. All comments received will be considered and responded to. Comments and Responses will furthermore be captured in the Comments and Responses Report (CRR) that will be submitted with the Final Basic Assessment report to the Competent Authority, GDARD.

- **DETAILS OF THE PPP DESK**

I&APs may contact the PPP desk at the details below:

Ms. Karabo Mashabela
Zitholele Consulting (Pty) Ltd
Tel: (011) 207 2060
Fax: 086 674 6121
Email: Pikitup-LinbroParkLandfillSite@zitholele.co.za

Yours faithfully

Ms. Karabo Mashabela
ZITHOLELE CONSULTING (PTY) LTD